

Public Workshop

October 22, 2015

Metropolitan Water District of Southern California

Welcome/Introduction


Richard Atwater MWD Director/Chair Integrated Resources Planning Committee



Workshop Format and Objectives

Chris Moore and Ryan Golten
CDR Associates





Keynote Address: Water Tomorrow


Randy Record MWD Board Chairman




Southern California's Pursuit of Reliability

Debra Man Assistant General Manager/ Chief Operating Officer




























Fiscal Years 1990-2015

Total Conservation, including Active, Passive, Price, System Losses, and Pre-1990 Savings




Fiscal Years 1990-2015
Both LRP and non-LRP
Includes Santa Ana River Base Flows

FY 2015 is an estimate



Fiscal Years 1990-2015 Both LRP and non-LRP

FY 2015 is an estimate



Summary The IRP represents Metropolitan's long-term plan to assure adequate water supplies for Southern California The IRP sets targets to help meet the region's needs into the future These targets help guide policy and investment decisions for water supply development, and demand management

WATER OTOMORROW

The 2015 IRP Update Process

Jennifer Nevills IRP Project Manager



Key Drivers for the 2015 Update

- Incorporating changed conditions impacting supplies and demands
- Responding to new challenges
- Refining transfer and storage management strategies
- Overcoming barriers to implementation
- Coming to agreement on consistent/standard terms and definitions



2015 Update Split into Two Parts

Phase 1: Technical Update (2015)

Develop regional targets to support long-term reliability

- People, economy, water demands
- Climate change, hydrologic scenarios
- Water supplies from existing and new projects

Phase 2: Implementation Policies (2016)

How might we achieve the resource targets?

- Local and regional responsibilities
- Resource investment strategies
- R&D priorities

2015 IRP Technical Update Approach

- Solidify technical information and assumptions
- Analyze supply and demand gaps over the next 25 years
- Review and update the 2010 IRP Update targets
- Assess strategies for managing short and longterm uncertainty
- Identify implementation policy issues
- Communicate technical findings and policy needs for Board discussions

IRP Phase 2



What is Our Current Outlook of Supplies and Demands?


- Retail Demands and Conservation
- Local Supplies
 - Recycling
 - Seawater Desalination
 - Groundwater and Groundwater Recovery
 - Other Local Supplies
- Imported Supplies
 - State Water Project
 - Colorado River Aqueduct
- Transfers, Exchanges, and Storage




Much has Changed Since 2010

- Demands
 - Lower demographic projections
 - Significant new conservation savings
- Local supplies
 - Some new supplies coming online
 - Major reduction in groundwater projections
- State Water Project supplies
 - Projected yield of the Delta fix is lower
- Additional risks to consider







Without Further Actions

- The balance between supplies and demands becomes unsustainable
 - Total retail demands increase
 - Local and imported supplies decrease or remain constant
- The probability and size of shortages both increase over time
- The amount of water in storage decreases over time
- Significant resource investments are still needed to ensure future reliability



Water Tomorrow The 2015 IRP Update

Deven Upadhyay Water Resources Group Manager





What Are the IRP Reliability Goals?

- 1996
 - "...meet all retail-level water demands under all foreseeable hydrologic conditions"
 - "Through the implementation of the IRP, Metropolitan and it's member agencies will have the full capability to meet full-service demands at the retail level at all times."
- **2**004
 - Same as the 1996 IRP plus a planning buffer
- 2010
 - Same as the 1996 IRP plus a supply buffer and foundational actions



What is the Purpose of Doing a Reliability Analysis?


- Evaluates whether a supply mix meets demands in a manner consistent with reliability goals
- Serves as a test case
 - Tests supply and demand forecasts
 - Tests ranges and variability due to climate and hydrologic factors
- Shows how often there are shortages or not
- Shows what the resulting storage conditions are



How Do We Test Reliability?

- Analyze a range of outcomes for each year in the forecast
 - 91 separate tests or supplies, demand, and storage
 - Based on climate and hydrologic conditions from 1922-2012
- Results show how many times out of 91 there are shortages, and how much water is in storage reserves
- Evaluate against the impacts of additional potential risks





What About Other Risks?

- Things could be worse than in the case where we make no new investments
 - Climate Change
 - Water Quality
 - Implementation Risks
- Given these risks... how to we ensure reliability?



New Targets are Under Consideration



Conservation

- Meet a 20% Reduction in GPCD
- Pursue efficiencies in outdoor water use
- Continue incentives for water conserving devices



Local Resources

Develop additional local supplies to ensure robust storage reserves that guard against risk



State Water Project

Pursue a stable water supply for all Californians through the California Water Fix and California Eco Restore



Colorado River Aqueduct


- Build, stabilize, and protect supply programs against risk and growing demands on the Colorado River
- Maintain flexible programs for dry year use

Open Q&A: Technical, Process, and Clarifications

Looking to the Future in Conservation









Fiscal Years 1990-2015

Total Conservation, including Active, Passive, Price, System Losses, and Pre-1990 Savings








Model Water Efficient Landscape Ordinance Revised in 2015

- Applies to:
 - New Development500+ sq. ft.
 - Rehabilitated Landscapes 2,500+ sq. ft.
- Local agencies must adopt the Ordinance, or develop ordinances at least as effective by Dec. 1, 2015

Major Changes:

- Stricter irrigation system requirements
- Stricter limits on high water use plants
- Onsite stormwater capture provisions
- Incentives for graywater
- Annual reporting to the State by local agencies on implementation/ enforcement





Continuing to Build Local Supplies







Recycled water: GWRS - 100,000 acre-feet for indirect potable reuse

Groundwater recovery: Chino Basin Desalter - 35,000 acre-feet

Seawater Desalination: Carlsbad Facility - 56,000 acre-feet online fall of 2015



Recycled Water

Improving public perception/education for different uses

Non-potable reuse (irrigation etc.)
Indirect potable reuse (groundwater/surface water recharge to drinking water)

Direct potable reuse (direct to drinking water)
Matching water quality to use (preserving

potable water supplies for potable uses)
Managing salinity to preserve the maximum

potential uses for water


Streamlining regulatory/permitting processes Advancing technologies



Graywater and Stormwater Direct Use

Streamlining regulatory/permitting processes Operations and maintenance needs

Matching water quality to use (preserving potable water supplies for potable uses)



Graywater and Stormwater Direct Use

Streamlining regulatory/permitting processes
Operations and maintenance needs
Matching water quality to use
(preserving potable water supplies for potable uses)




Seawater Desalination

Reducing impacts to marine environment
Streamlining regulatory/permitting processes
Reducing energy use
Advancing technologies




Ensuring Sustainable Groundwater Management





Basin Name Status

Fox Canyon GMA Managed Central Adjudicated West Coast Adjudicated Raymond Adjudicated Main San Gabriel Adjudicated ULARA Adjudicated Chino Adjudicated Orange County Managed West San Jacinto Managed Hemet-San Jacinto Adjudicated




Groundwater basin levels and safe yields

Protecting basins from the challenges of urbanization, climate change, water quality

Improving technologies for cleanup and disposal of waste
Stormwater capture and recycling for groundwater recharge

Improving public perception/education Streamlining regulatory/permitting processes Advancing technologies



Groundwater basin levels and safe yields


Protecting basins from the challenges of urbanization, climate change, water quality

Contaminated groundwater

Improving technologies for cleanup and disposal of waste

Stormwater capture and recycling for groundwater recharge

Improving public perception/education Streamlining regulatory/permitting processes Advancing technologies




Things Can Be Done to Help Maintain Groundwater Basins

- Additional recharge of:
 - Recycled water
 - Stormwater
 - Imported water
- Additional groundwater cleanup
- Conjunctive management of groundwater and surface water assets




Recognize that GW Basins are an asset to the region...





Stabilizing Imported Supplies













Pursuing a Long-Term Solution in the Bay-Delta





- Protects State's water supplies through Delta system upgrades
- Improves river flow direction
- Reduces fish impacts
- Water contractor funded



- Supports long-term health of native fish and wildlife
- Implements habitat restoration
 - ~30,000 acres in 5 years
- Broader public funding







Facilitated Dialogue: Stabilizing Imported Supplies Chris Moore and Ryan Golten CDR Associates





Closing Remarks

Richard Atwater MWD Director/Chair Integrated Resources Planning Committee



